

A&V **COMPONENTS**

Audio Video

Products

2007

(Tel) 516-791-1121 (Fax) 516-791-1171

TABLE OF CONTENTS

RG58 BNC TO BNC COAXIAL CABLES	PAGE 01
RG59 BNC TO BNC COAXIAL CABLES	PAGE 01
RG6 BNC TO BNC COAXIAL CABLES	PAGE 01
UHF COAXIAL CABLES	PAGE 01
RG8 UHF COAX CABLES	PAGE 01
RG59 F COAXIAL CABLES WITH NICKEL CONNECTORS	PAGE 02
RG59 F COAXIAL CABLES WITH GOLD CONNECTORS	PAGE 02
RG6 F COAXIAL CABLES WITH NICKEL CONNECTORS	PAGE 02
RG6 F COAXIAL CABLES WITH GOLD CONNECTORS	PAGE 02
RG 59 F TO RCA CABLES	PAGE 03
RG 59 RCA TO RCA CABLES WITH NICKEL CONNECTORS	PAGE 03
RG 59 RCA TO RCA CABLES WITH GOLD CONNECTORS	PAGE 03
SHIELDED STEREO CABLES 2 RCA TO 2 RCA	PAGE 03
OXYGEN FREE COPPER STEREO CABLES 2 RCA TO 2 RCA	PAGE 03
COMPOSITE VIDEO CABLES	PAGE 04
SHIELDED STEREO CABLES 4 RCA TO 4 RCA	PAGE 04
CAMCORDER 3.5mm TO 3.5mm CABLES	PAGE 04
CAMCORDER 3.5mm TO 3 RCA CABLES	PAGE 04
DUBBING CABLES IN MONO AND STEREO	PAGE 05
S-VIDEO CABLES	PAGE 06
S-VIDEO EXTENSION CABLES	PAGE 06
S-VIDEO PATCH CABLES	PAGE 06
OPTICAL S-VIDEO PATCH CABLES	PAGE 06
TOSLINK TO TOSLINK CABLES	PAGE 07
TOSLINK TO 3.5mm CABLES	PAGE 07
DIGITAL FIBER OPTIC CABLE 3.5mm TO 3.5mm	PAGE 07
COMPONENT TO TOSLINK CABLE	PAGE 07
COMPONENT VIDEO CABLES	PAGE 08
COMPONENT VIDEO CABLE WITH AUDIO	PAGE 08
HIGH DEFINITION COMPONENT BNC CABLES	PAGE 09
HIGH DEFINITION COMPONENT BNC TO RCA CABLES	PAGE 09
HIGH DEFINITION COMPONENT BNC TO VGA CABLES	PAGE 10
HIGH DEFINITION COMPONENT RCA TO VGA CABLES	PAGE 10
DVI ANALOG TO VGA CABLES	PAGE 11
DVI-D TO DUAL LINK CABLES	PAGE 11
DVI-D TO SINGLE LINK CABLES	PAGE 11
HDMI TO DVI CABLES	PAGE 12
HDMI 19 PIN TO 19 PIN CABLES	PAGE 12
SPEAKER WIRE	PAGE 12
BULK COAXIAL CABLES	PAGE 12
F SERIES CONNECTORS	PAGE 13
F SERIES ADAPTORS	PAGE 13
RCA COAXIAL CONNECTORS	PAGE 14
RCA COAXIAL ADAPTORS	PAGE 14
UHF SERIES CONNECTORS	PAGE 14
UHF SERIES ADAPTORS	PAGE 14
BNC SERIES CONNECTORS	PAGE 15
BNC SERIES ADAPTORS	PAGE 16
BANANA CONNECTORS	PAGE 17
AUDIO RCA PHONE CONNECTORS	PAGE 17
AUDIO PHONE JACKS	PAGE 18
COAXIAL POWER PLUGS	PAGE 18
VIDEO SPLITTERS	PAGE 19
UHF/VHF/FM AMPLIFIERS	PAGE 19
INDOOR TRANSFORMERS	PAGE 19
RF MODULATORS	PAGE 20
AV ADAPTOR TV GAME MULTIBOX	PAGE 20
NAIL IN MOUNTS	PAGE 20
GOLD X PRODUCTS(HI QUALITY A/V CABLES)	PAGE 21


RG58 BNC TO BNC COAXIAL CABLES

**RG58 BNC Plug to BNC Plug Coaxial Cables –
75 Ohm – Nickel-Plated Connectors
Available in the following lengths: 3,6,10,15,25,50,100 ft.
Part number: AVR58BNCX (X=Length)**



RG59 BNC TO BNC COAXIAL CABLES

**RG59 BNC Plug to BNC Plug Coaxial Cables –
75 Ohm – Nickel-Plated Connectors
Available in the following lengths: 3,6,12,25,50 ft.
Part number: AVR59BNCX (X=Length)**




RG6 BNC TO BNC COAXIAL CABLES

**RG6 BNC Plug to BNC Plug Coaxial Cables –
75 Ohm – Nickel-Plated Connectors
Available in the following lengths: 3,6,12,25,50,100 ft.
Part number: AVR6BNCX (X=Length)**



UHF COAXIAL CABLES

**RG58 UHF Plug to UHF Plug Coaxial Cables –
50 Ohm-Nickel Plated Connectors-Fully Molded
Available in the following lengths: 3,6,9,12,20 ft.
Part number:AVRG58UHFX(X=Length)**



RG 8 COAXIAL CABLES WITH UHF TO MINI UHF CONNECTORS

**RG8 Coaxial Cables with UHF to Mini UHF Connectors-
Available in: 3, 6, 9, 12, and 20 ft.-
Part#:AVRG8UHFX (X=Length)**



RG59 F COAXIAL CABLES WITH NICKEL CONNECTORS

Suitable for General Video Applications –
75 Ohm Low-Loss RG59/U Coaxial Cables –
Molded Nickel-Plated F Connectors –
AWG22 Solid Copper/CCS Center Conductor –
100% Aluminum Foil Shield –
32x0.12mm Copper/Aluminum Braid
Black Available in: 1,2,3,6,9,12,15,18,25,50, 75,100 ft.
Part number:AVRG59FNBKX (X=Length)
White Available in: 3,6,12,15,18,25,50,75,100ft
Part number:AVRG59FNWHX(X=Length)



RG59 F COAXIAL CABLES WITH GOLD CONNECTORS

Suitable for General Video Applications –
75 Ohm Low-Loss RG59/U Coaxial Cables –
Molded Gold-Plated F Connectors –
AWG22 Solid Copper/CCS Center Conductor –
100% Aluminum Foil Shield –
32x0.12mm Copper/Aluminum Braid
Available in: 3,6,9,12,15,18,25,50, 75,100,150 ft.
Part number: AVRG59FBKX(X=Length)
White Available in: 3,6,12,15,18,25,50,75,100ft
Part number: AVRG59FWHX(X=Length)



RG6 F COAXIAL CABLES WITH NICKEL CONNECTORS

75? RG6/U UL Listed High Definition Cables –
Suitable for DSS, C/Ku Satellite Installations –
High-Performance 100% Fully Swept to 2200MHz –
Fully Molded Nickel or Gold-Plated F Connectors –
AWG18 Solid Copper/CCS Center –
Double Aluminum Foil Shield Plus 60-67% Tinned-Copper Braid Shield –
0.193? 5mm nom. OD CPE Dielectric –
0.275? 7mm nom. OD Black PVC Jacket
Black Available in: 3,6,9,12,15,25,50,75,100 ft.
Part number:AVRG6FNBKX (X=Length)
White Available in: 3,6,9,12,15,25,50,75,100ft
Part number:AVRG6FNWHX(X=Length)



RG6 F COAXIAL CABLES WITH GOLD CONNECTORS

75? RG6/U UL Listed High Definition Cables –
Suitable for DSS, C/Ku Satellite Installations –
High-Performance 100% Fully Swept to 2200MHz –
Fully Molded Nickel or Gold-Plated F Connectors –
AWG18 Solid Copper/CCS Center –
Double Aluminum Foil Shield Plus 60-67% Tinned-Copper Braid Shield –
0.193? 5mm nom. OD CPE Dielectric –
0.275? 7mm nom. OD Black PVC Jacket
Available in: 3,6,9,12,15,25,50, 75,100,150 ft.
Part number: AVRG6FBKX(X=Length)
White Available in: 3,6,9,12,15,25,50,75,100ft
Part number: AVRG6FWHX(X=Length)



RG59 F TO RCA CABLES

RG59 F Plug to RCA Plug Coaxial Cables –
75 Ohm –Nickel-Plated Connectors
Part number: AVRG59FRCABK6
AWG22 Solid Copper/CCS Center Conductor –
100% Aluminum Foil Shield –
32x0.12mm Copper/Aluminum Braid



RG59 RCA TO RCA CABLES WITH NICKEL CONNECTORS

75 Ohm Low-Loss RG59/U Coaxial Cables –
Molded Nickel-Plated RCA Connectors –
AWG22 Solid Copper/CCS Center Conductor –
100% Aluminum Foil Shield –
32x0.12mm Copper/Aluminum Braid
Available in 6, 12, 25 ft.
Part number: AVRG59RCABKX (X=Length)



RG59 RCA TO RCA CABLES WITH GOLD CONNECTORS

75 Ohm Low-Loss RG59/U Coaxial Cables –
Molded Gold-Plated RCA Connectors –
AWG22 Solid Copper/CCS Center Conductor –
100% Aluminum Foil Shield –
32x0.12mm Copper/Aluminum Braid
Available in 6, 12, 25 ft.
Part number: AVRG59RCABKGX (X=Length)



SHIELDED STEREO CABLES 2 RCA PLUGS TO 2 RCA PLUGS (GOLD PLATED)

Shielded Stereo Cables 2 RCA Plugs to 2 RCA Plugs-
Gold Plated Connectors-
Available Lengths: 3, 6, 12, 25 ft.-
Part#: AVRCA2PXX(XX=Length)



OXYGEN FREE COPPER SHIELDED STEREO CABLES 2 RCA PLUGS TO 2 RCA PLUGS(GOLD PLATED)

Oxygen Free Copper Shielded Stereo Cables 2 RCA Plugs to 2 RCA Plugs-
Gold Plated Connectors-
Available Lengths: 1.5, 3, 6, 12, 15, 20 ft.-
Part#: AVXRCA2PXX(XX=Length)



COMPOSITE VIDEO CABLES

Low-Loss Fully Shielded RCA Dubbing Cables –
Applications include home theater, DSS receivers, S-Video VCRs,
Camcorders and DVD players – 1 RG59-Video + 2-Shielded Audio
Conductors – 95% Spiral-Wound-Shield Audio Conductors –
Fully Molded Color-Coded Gold RCA Connectors –
Flexible Black PVC Jacket
Available in: 3, 6, 12, 18, 25, 50 ft.
Part number: AVRCA3PX (X=Length)
Blue Jacket available in: 3, 6, 12 ft.
Part number: AVRCA3PBLX (X=Length)



SHIELDED STEREO CABLES 4 RCA PLUGS TO 4 RCA PLUGS (GOLD PLATED)

Shielded Stereo Cables 4 RCA Plugs to 4 RCA Plugs-
Gold Plated Connectors-
Available Lengths: 3, 6 ft.-
Part#: AVRCA4PXX (XX=Length)



CAMCORDER CABLES 3.5MM TO 3.5MM

Premium Camcorder Cables Suitable for High-Performance Video
and Audio Playback Connect to Mini-Plug-compatible camcorders
3.5mm AV Mini-Plug to 3.5mm AV Mini-Plug – 2.8mm OD BlackPVC
Jacket – Color-Coded Nickel-Plated RCA Plugs – AWG28 Stranded
Copper Center Conductor – Low-Loss 95% Spiral-Wound Copper
Shield – 99.99% Pure Oxygen-Free Copper Wire-
Part number: AVCAM35MMX (X=Length [3 or 6 ft available only])



CAMCORDER CABLE 3.5MM TO 3 RCA

Premium Camcorder Cables Suitable for High-Performance Video
and Audio Playback Connect to Mini-Plug-compatible camcorders
3.5mm AV Mini-Plug to 3 RCA PLUGS – 2.8mm OD BlackPVC
Jacket – Color-Coded Nickel-Plated RCA Plugs – AWG28 Stranded
Copper Center Conductor – Low-Loss 95% Spiral-Wound Copper
Shield – 99.99% Pure Oxygen-Free Copper Wire-
Part number: AV 35CAM3RCAX (X=Length [3 or 6 ft available only])



DUBBING CABLES IN MONO AND STEREO

PART #	DESCRIPTION	
AVY2RCAJ63MP AVY2RCAP63MP AVY2RCAP63MP6	6.3MM MONO PLUG TO 2 RCA JACKS 6 INCH Y CABLE 6.3MM MONO PLUG TO 2 RCA PLUGS 6 INCH Y CABLE 6.3MM MONO PLUG TO 2 RCA PLUGS 6 FT Y CABLE	
AVYS2RCAPMJ AVYSRCAP2MJ AVYS3RCAP AVYS3MJ	4" SHIELDED AUDIO Y CABLE 2 RCA PLUG TO 6.3mm MONO JACK GOLD PLATED 4" SHIELDED AUDIO Y CABLE RCA PLUG TO 2 6.3mm MONO JACK GOLD PLATED 4" SHIELDED AUDIO Y CABLE RCA PLUG TO 2 RCA PLUGS GOLD PLATED 4" SHIELDED Y CABLE 6.3mm JACK TO 2 6.3mm JACK GOLD PLATED	
AV35SP2RCAP6 AV35SPJJ6 AV35SPP6 AV35SPP12 AV35MPJ6 AV35SPJ6 AV35SPJ15 AV35SPJ25	3.5mm STEREO PLUG TO 2 RCA PLUGS 6FT (GREAT FOR WALKMAN,CD) 3.5mm STEREO PLUG TO 2 3.5mm STEREO JACK CABLE 6FT 3.5mm STEREO PLUG TO 3.5mm STEREO PLUG 6FT 3.5mm STEREO PLUG TO 3.5mm STEREO PLUG 12FT 3.5mm MONO PLUG TO 3.5mm MONO JACK 6FT 3.5mm STEREO PLUG TO 3.5mm STEREO JACK 6FT 3.5mm STEREO PLUG TO 3.5mm STEREO JACK 15FT 3.5mm STEREO PLUG TO 3.5mm STEREO JACK 25FT	
AV63MP15	6.3mm MONO PLUG TO 6.3mm MONO PLUG 15FT	
AVS2RCAPJ6	SHIELDED STEREO CABLE 2 RCA PLUGS TO 2 RCA JACKS 6FT	
AV2RCAGDC6 AV3RCAGDC6 AV2RCAGDC12 AV3RCAGDC12	GOLD END DUBBING CABLE 6FT GOLD END STEREO DUBBING CABLE 6FT GOLD END DUBBING CABLE 12FT GOLD END STEREO DUBBING CABLE 12FT	
AV2RCAMDC6 AV3RCAMDC6	METAL DUBBING CABLE GOLD PLATED BRASS RING 6FT METAL STEREO DUBBING CABLE GOLD PLATED BRASS RING 6FT	
AVXRCAPJJ AVXRCAPPJ AVXRCAPPP AVXRCAJJJ	7" GOLD COLOR OXYGEN FREE COPPER RCA PLUG TO 2 RCA JACKS 7" GOLD COLOR OXYGEN FREE COPPER RCA JACK TO 2 RCA PLUGS 7" GOLD COLOR OXYGEN FREE COPPER RCA PLUG TO 2 RCA PLUGS 7" GOLD COLOR OXYGEN FREE COPPER RCA JACK TO 2 RCA JACKS	

S-VIDEO CABLES

Low-Loss Fully-Shielded S-Video Cables –
Applications include home theater, DSS receivers, VCRs,
DVRs/PVRs, camcorders, DVD players –
4-Contact Mini-DIN Plug to Plug – Gold Plated –
AWG28 Stranded Copper Center Conductors –
Two 95% Shielded Spiral-Wound Inner Conductors – Fully Molded
5mm OD Flexible Black PVC Jacket
Available in: 3, 6, 12, 25, 50, 75, 100 ft. lengths
Part number: AVSVX (X=Length)



S-VIDEO EXTENSION CABLES

Low-Loss Fully-Shielded S-Video Extension Cables –
4-Contact Mini-Din Male to Female – Gold Plated –
AWG28 Stranded Copper Center Conductors – Fully Molded
5mm OD Flexible Black PVC Jacket Available in: 6, 12, 25 ft. lengths
Part number: AVSVFX (X=Length)



S-VIDEO PATCH CABLES

Low-Loss Fully Shielded S-Video Cables –
Applications include home theater, DSS receivers, VCRs, DVRs/PVR,
Camcorders, DVD players – 4-Contact Mini-DIN Plug S-Video Cable
and Dual-RCA Plug Stereo Cables – Fully Molded Color Coded
Gold RCA Connectors – Flexible Black PVC Jacket –
AWG28 Stranded Copper Center Conductors – 6 or 12 ft. lengths –
95% Spiral-Wound-Shield S-Video and Audio Conductors
Part number: AVSVRCAX (X=Length)



OPTICAL S-VIDEO PATCH CABLES (S-VIDEO TO TOSLINK)

High-Grade S-Video Optical Patch Cords –
Blue 6.0mm OD Flexible PVC Jacket –
Fully Molded Construction –
Convex Optical Lens – PMMA Fiber –
Gold-Plated RCA and S-Video Connectors –
AWG28 Stranded Copper Center Conductors –
Low-Loss 95% Stranded Braided Copper Shield –
99.99% Pure Oxygen-Free Copper Wire
Available in: 3, 6, 12 ft. lengths
Part number: AVSVTOSBLX (X=Length)



TOSLINK TO TOSLINK CABLES

Connects Toslink plug to Toslink plug. High Performance optical cable for MD, CD, PC Sound Card, HDTV, Decoder, Amplifier, or Digital Receiver.

Part#: TOSBKX or TOSBLX (X=Length, BK =Black, BL= Blue)



TOSLINK TO 3.5mm CABLES

High Performance optical cable for MD, CD, PC Sound Card, HDTV, Decoder, Amplifier, or Digital Receiver. Connects Toslink plug to 3.5 Mini plug.

Part #: TOSMPBKX or TOSMPBLX (X=Length, BK =Black, BL= Blue)



DIGITAL FIBER OPTIC CABLE 3.5mm PLUG TO 3.5mm PLUG

High Performance optical cable for MD, CD, PC Sound Card, HDTV, Decoder, Amplifier, or Digital Receiver. Connects 3.5 Mini plug to 3.5 Mini plug.

Part #'s: TOSMMPMPBKX or TOSMMPMPBLX (X=Length, BK =Black, BL= Blue)



COMPONENT TO TOSLINK CABLES

Component-Video Optical-Audio Cable –

Provides high-definition A/V signal transfer between DVD players and high-end TVs or monitors for optimum picture resolution and color –

Precision 75 Ohm impedance for Max. Signal Transfer

High-Purity Wide-Band Audio Transmission –P.M.M.A. Fiber –

Aluminum Shield 100% 0.12mm Aluminum-Polyester Foil Shield

3 RG59 95% Copper-Braid Shielded Conductors –

95% Spiral-Wound-Shield Audio Conductors –

99.99% Pure Oxygen-Free Copper Wire –

Flat-Ribbon Cable Configuration –

Ultra-Flex Satin-Ivory Rubber 6.0mm OD PVC Jacket –

Low-Attenuation Foamed Cellular Dielectric –

24K Gold-Plated Heavy-Duty RCA Connectors –

Color-Coded – Fully Molded Construction on convex Optical Lens –

EMI-RFI Protected Double High-Density

Available in: 3,6,12 ft. lengths–Part#: AVRGBTOSIVX(X=Length)



COMPONENT VIDEO CABLES

Component-Video RCA Interconnects –

Provide high-definition video signal transfer between DVD players and high-end TVs or monitors for optimum picture resolution and color –

Precision 75 Ohm Impedance for Max. Signal Transfer –

EMI-RFI Protected Double High-Density Aluminum Shield –

100% 0.12mm Aluminum-Polyester Foil Shield –

3 RG59 95% Copper-Braid Shielded Conductors –

Flat-Ribbon Cable Configuration –

95% Spiral-Wound-Shield Audio Conductors –

99.99% Pure Oxygen-Free Copper Wire –

Ultra-Flex Satin-Black or Ivory Rubber 6.0mm OD PVC Jacket –

Low-Attenuation Foamed Cellular Dielectric –

24K Gold-Plated Heavy-Duty RCA Connectors –

Color-Coded – Fully Molded Construction

Available in: 3,6,12,25,50,75,100 ft. lengths

Part number black: AVRGBBKX (X=Length)

Part number ivory: AVRGBIVX (X=Length)



COMPONENT VIDEO WITH AUDIO CABLES

Component-Video RCA Interconnects –

Provide high-definition video signal transfer between DVD players and high-end TVs or monitors for optimum picture resolution and color –

Precision 75 Ohm Impedance for Max. Signal Transfer –

EMI-RFI Protected Double High-Density Aluminum Shield –

100% 0.12mm Aluminum-Polyester Foil Shield –

3 RG59 & L/R AUDIO 95% Copper-Braid Shielded Conductors –

Flat-Ribbon Cable Configuration –

95% Spiral-Wound-Shield Audio Conductors –

99.99% Pure Oxygen-Free Copper Wire –

Ultra-Flex Satin-Black or Ivory Rubber 6.0mm OD PVC Jacket –

Low-Attenuation Foamed Cellular Dielectric –

24K Gold-Plated Heavy-Duty RCA Connectors –

Color-Coded (VIDEO: RED GREEN BLUE) (AUDIO: RED WHITE)

– Fully Molded Construction

Available in: 3,6,12,25,50,75,100 ft. lengths

Part number black: AVRGBRWBKX (X=Length)

Part number ivory: AVRGBRWIVX (X=Length)



HIGH DEFINITION COMPONENT BNC CABLES

HDTV Component Video Cables –

Unparalleled Quality and Performance for High-Definition Video and Audio Equipment –

Fully support (Y, Pr, Pb), (Y, Cr, Cb) and RGB high resolution standards – Precision 75 Ohm Impedance for Max. Signal Transfer

EMI-RFI Protected Double High-Density Aluminum Shield –

100% 0.12mm Aluminum-Polyester Foil Shield –

3 or 5 Mini-Coax 95% Copper-Braid Shielded Conductors –

95% Spiral-Wound-Shield H/V Sync Conductors –

99.99% Pure Oxygen-Free Copper Wire –

Bundled Cable Configuration –

Ultra-Flex Satin-Ivory Rubber 13mm OD PVC Jacket –


Low-Attenuation Foamed Cellular Dielectric –

24K Gold-Plated Heavy Duty Connectors –

Color-Coded – Fully Molded Construction

Available in: 6, 12, 0r 25 ft. lengths

**Part numbers: (3BNC)AVHD3BNCX or (5BNC) AVHD5BNCX
(X=Length)**



HIGH DEFINITION COMPONENT BNC TO RCA CABLES

HDTV Component Video Cables – BNC-RCA

Unparalleled Quality and Performance for High-Definition Video and Audio Equipment – Fully support (Y, Pr, Pb), (Y, Cr, Cb) and RGB high resolution

standards – Precision 75? Impedance for Max. Signal Transfer –

EMI-RFI Protected Double High-Density Aluminum Shield –

100% 0.12mm Aluminum-Polyester Foil Shield –

3 or 5 Mini-Coax 95% Copper-Braid Shielded Conductors –

95% Spiral-Wound-Shield H/V Sync Conductors –

99.99% Pure Oxygen-Free Copper Wire –

Bundled Cable Configuration –

Ultra-Flex Satin-Ivory Rubber 13mm OD PVC Jacket –

Low-Attenuation Foamed Cellular Dielectric –

24K Gold-Plated Heavy Duty Connectors –

Color-Coded – Fully Molded Construction

Available in 6, 12, 25 ft. lengths

**Part numbers: (3BNC-3RCA) AVHD3BNCRCAX
or (5BNC-5RCA) AVHD5BNCRCAX (X=Length)**



HIGH DEFINITION COMPONENT BNC TO VGA CABLES

SVGA RGB Component Video Cables – SVGA TO BNC

Unparalleled Quality and Performance for High-Definition Video and Audio Equipment

Fully supports RGB high resolution standards –

Precision 75Ohm Impedance for Max. Signal Transfer –

Bundled Cable Configuration –

3 or 5 Mini-Coax Copper-Braid Shielded Conductors, 95% Coverage –

95% Spiral-Wound-Shield H/V Sync Conductors –

99.99% Pure Oxygen-Free Copper Wire –

Low-Attenuation Foamed Cellular Dielectric –

EMI-RFI Protected Double High-Density Aluminum Shield, 100% Coverage –

Ultra-Flex Satin-Ivory Rubber PVC Jacket, 13mm OD –


24K Gold-Plated Heavy Duty Connectors –

Color-Coded – Fully Molded Construction

Available in 6, 12, 25 ft. lengths

Part numbers: (SVGA-3BNC) AVHDSVGA3BNCX

or (SVGA-5BNC) AVHDSVGA5BNCX (X=Length)



HIGH DEFINITION COMPONENT RCA TO VGA CABLES

SVGA RGB Component Video Cables – SVGA TORCA

Unparalleled Quality and Performance for High-Definition Video and Audio Equipment

Fully supports RGB high resolution standards –

Precision 75Ohm Impedance for Max. Signal Transfer – Bundled Cable Configuration –

3 or 5 Mini-Coax Copper-Braid Shielded Conductors, 95% Coverage –

95% Spiral-Wound-Shield H/V Sync Conductors –

99.99% Pure Oxygen-Free Copper Wire – Low-Attenuation Foamed Cellular Dielectric

EMI-RFI Protected Double High-Density Aluminum Shield, 100% Coverage –


Ultra-Flex Satin-Ivory Rubber PVC Jacket, 13mm OD –

24K Gold-Plated Heavy Duty Connectors – Color-Coded – Fully Molded Construction

Available in 6, 12, 25 ft. lengths

Part numbers: (SVGA-3RCA) AVHDSVGA3RCAX

or (SVGA-5RCA) AVHDSVGA5RCAX (X=Length)



DVI ANALOG TO VGA CABLES

Excellent for data projectors, flat-panel displays, digital TV sets and displays
Provides superior connections between VGA/SVGA and DVI (analog) devices
Fully molded construction – Super-flexible satin black PVC jacket –
AWG28 tinned copper conductors – 24K gold-plated contacts
Available in 6, 10, 15 ft. lengths

DVI - Analog Female to HD15 VGA Male: AVDVIAFVGAMX (X=Length)

DVI - Analog Male to HD15 VGA Female: AVDVIAMVGAFX (X=Length)

DVI - Analog Male to HD15 VGA Male: AVDVIAMVGAMX (X=Length)



DVI- D TO DUAL LINK CABLES

DVI-D Digital Visual Interface Cables –
Installs easily on any DVI-D socket found on data projectors, plasma displays,
digital TVs and set-top boxes –
Hot Swappable – Thoroughly Tested and Certified – Superior TMDS Signal
Resolution – Dual Link (2048 x 1536) –
4.95Gbps and 9.9Gbps Data Speeds –
7.3mm OD Super-Flexible Black PVC Jacket –
Individually Shielded Pairs with Drain Wire –
100% Overall Aluminum-Mylar Foil Shield –
360° Copper-Foil Wrapped Shielded Connectors –
3µ? 24K Gold-Plated Beryllium Contacts –
Fully Molded Construction –
Easy-Grip Captured Screws – UL Listed
Available in 6,10,15 ft. lengths
DVI Dual Male- Dual Link Female: AVDVIDMFX (X=Length)
DVI Dual Male- Dual Link Male: AVDVIDMMX (X=Length)



DVI- D TO SINGLE LINK CABLES

DVI-D Digital Visual Interface Cables –
Installs easily on any DVI-D socket found on data projectors, plasma displays,
digital TVs and set-top boxes –
Hot Swappable – Thoroughly Tested and Certified – Superior TMDS Signal
Resolution – Single Link (1920 X1080)–
4.95Gbps and 9.9Gbps Data Speeds –
7.3mm OD Super-Flexible Black PVC Jacket –
Individually Shielded Pairs with Drain Wire –
100% Overall Aluminum-Mylar Foil Shield –
360° Copper-Foil Wrapped Shielded Connectors –
3µ? 24K Gold-Plated Beryllium Contacts –
Fully Molded Construction –
Easy-Grip Captured Screws – UL Listed
Available in 6,10,15 ft. lengths
Part number: AVDVIDMMSX (X=Length)



HDMI TO DVI CABLES

Perfect for HDTV sets, DVD players/recorders, set-top boxes and flat-panel displays
Provides superior connections between HDMI and DVI-D (single link) devices –
Supports video resolutions up to 1920 x 1080 and data rates to 5Gbps –
Fully molded construction – Super-flexible satin black PVC jacket – 24K gold-plated
contacts – Available in 6, 10ft, & 10, 15 Meter lengths – Part #: HD-DA-X (X=Length)



19 PIN HDMI TO 19 PIN HDMI CABLES

Ideal for HDTV sets, DVD players/recorders and set-top boxes –
Compatible with all HDMI devices – Carries high-definition digital video and multi-
channel audio in one cable – Supports video resolutions up to 1920 x 1080 and data
rates to 5Gbps – Fully molded construction – Super-flexible satin black PVC jacket
24K gold-plated contacts – Available in 3,6,10,15,30 ft lengths –
Part #: HD-AA-X (X=Length)



BULK COAXIAL CABLE

RG6 Bulk Coaxial Cable Available in Spools of 500ft and 1000ft
Part#'s: AVRG6BKX or AVRG6WHX (X=Length, BK= Black, WH=White)
RG59 Bulk Coaxial Cable Available in Spools of 500ft and 1000ft
Part#'s: AVRG59BKX or AVRG59WHX (X=Length, BK= Black, WH=White)



SPEAKER WIRE

PART #	DESCRIPTION
SPW12-250	CLEAR OXYGEN FREE COPPER 12 GAUGE SPEAKER WIRE 250 FT
SPW16-25	CLEAR OXYGEN FREE COPPER 16 GAUGE SPEAKER WIRE 25 FT
SPW16-50	CLEAR OXYGEN FREE COPPER 16 GAUGE SPEAKER WIRE 50 FT
SPW16-100	CLEAR OXYGEN FREE COPPER 16 GAUGE SPEAKER WIRE 100 FT
SPW16-500S	CLEAR OXYGEN FREE COPPER 16 GAUGE SPEAKER WIRE 500 FT SPOOL
SPW16-1000S	CLEAR OXYGEN FREE COPPER 16 GAUGE SPEAKER WIRE 1000 FT SPOOL
SPW18-25	CLEAR OXYGEN FREE COPPER 18 GAUGE SPEAKER WIRE 25 FT
SPW18-50	CLEAR OXYGEN FREE COPPER 18 GAUGE SPEAKER WIRE 50 FT
SPW18-100	CLEAR OXYGEN FREE COPPER 18 GAUGE SPEAKER WIRE 100 FT
SPW18-500S	CLEAR OXYGEN FREE COPPER 18 GAUGE SPEAKER WIRE 500 FT SPOOL
SPW18-1000S	CLEAR OXYGEN FREE COPPER 18 GAUGE SPEAKER WIRE 1000 FT SPOOL
SPW24-25	CLEAR OXYGEN FREE COPPER 24 GAUGE SPEAKER WIRE 25 FT
SPW24-50	CLEAR OXYGEN FREE COPPER 24 GAUGE SPEAKER WIRE 50 FT
SPW24-100	CLEAR OXYGEN FREE COPPER 24 GAUGE SPEAKER WIRE 100 FT



F SERIES CONNECTORS

Commercial Grade F Series Connectors – Suitable for Coaxial Networks
Used in Video, Data and
Telephony Applications – Nickel- or Gold-Plated Brass/Zinc Construction

**F CRIMP UNIVERSAL–
RG59 CONNECTOR–
NICKEL PLATED–
PART# RG59FCC**



**RG59 UNIVERSAL F
FAST CONNECT
PUSH ON
TOOL-LESS
PART # RG59FFC**



**F PLUG TWIST ON
FOR RG 59
PART # RG59FTO**



**F CRIMP UNIVERSAL–
RG6 CONNECTOR–
NICKEL PLATED–
PART# RG6FCC**



**RG6 UNIVERSAL F
FAST CONNECT
PUSH ON
TOOL-LESS
PART# RG6FFC**



**F PLUG TWIST ON
FOR RG 6
PART # RG6FTO**



F SERIES ADAPTORS

**RCA JACK TO F PLUG
PART# FPRCAJ**



**F COUPLER
JACK TO JACK
PART # FCJJ**




**F COUPLER
JACK TO JACK
GOLD PLATED
PART # FCJJG**



**F TERMINATOR
75 OHM 5% 1/2 WIDTH
PART# FTERM**



**F COUPLER
PLUG TO PLUG
PART # FCPP**



**F RIGHT ANGLE
ADAPTOR
JACK TO PLUG
PART# FRAJP**



**F PLUG TO BNC JACK
PART# FPBNCJ**




**F JACK TO
3.5mm MONO PLUG
PART# FJMP**



RCA COAXIAL CONNECTORS


RG59 RCA PLUG
CRIMP WITH 1/4" RING
PART# RG59RCAPC



RG59 PREMIUM GOLD
PLATED PLUG, STRAIN
RELIEF, SOLDER TYPE
PART# RG59RCAPSG

RCA COAXIAL ADAPTORS

RCA PLUG
TO BNC JACK
PART #
RCAPBNCJ



RCA PLUG
TO F JACK
PART#
RCAPFJ




RCA PLUG
TO UHF JACK
PART#
RCAPUHFJ



UHF SERIES CONNECTORS

UHF PLUG SOLDER ON
FOR RG 8
PART#
RG8UHFPS



UHF PLUG CRIMP ON
FOR RG59
PART#
RG59UHFPC




UHF SERIES ADAPTORS

UHF PLUG
TO F JACK
PART#
UHFPFJ



UHF PLUG
TO BNC JACK
PART#
UHFPBNCJ



UHF COUPLER
JACK TO JACK
PART#
UHFCJJ




UHF T ADAPTOR
JACK-PLUG-JACK
PART#
UHFTAJPJ



UHF PLUG TO
MINI UHF JACK
PART#
UHFPMUHFJ



UHF ANGLE
ADAPTOR
JACK-PLUG
PART#
UHFAAJP



BNC SERIES CONNECTORS


**RG58 BNC TWO PIECE
JACK CRIMP
PART#
RG58BNCJC2**

**RG59/62 BNC TWO PIECE
JACK CRIMP
PART#
RG5962BNCJC2**

**RG58 BNC TWO PIECE
PLUG CRIMP
PART#
RG58BNCPC2**




**RG59 BNC TWO PIECE
PLUG CRIMP
PART#
RG59BNCPC2**




**RG6 BNC TWO PIECE
PLUG CRIMP
PART#
RG6BNCPC2**




**RG58 3 PIECE
PLUG CRIMP
PART#
RG58BNCPC3**



**RG59/62 3 PIECE
PLUG CRIMP
PART#
RG5962BNCPC3**



**RG6 3 PIECE
PLUG CRIMP
PART#
RG6BNCPC3**



**RG59/62 BNC PLUG
TWIST ON
PART#
RG5962BNCTO**



**RG58 BNC PLUG
TWIST ON
PART#
RG58BNCTO**



**RG6 BNC PLUG
TWIST ON
PART#
RG6BNCTO**



BNC SERIES ADAPTORS

**BNC PLUG
TO F JACK
PART#
BNCPFJ**



**BNC COUPLER
PLUG TO PLUG
PART#
BNCCPP**




**BNC PLUG
TO UHF JACK
PART#
BNCPUHFJ**



**BNC T ADAPTOR
JACK-JACK-JACK
PART#
BNCTAJJJ**



**BNC T ADAPTOR
JACK-PLUG-JACK
PART#
BNCTAJPJ**



**BNC ANGLE
ADAPTOR
JACK TO PLUG
PART# BNCAAJP**



**BNC COUPLER
JACK TO JACK
PART#
BNCCJJ**



**BNC PLUG
TO RCA JACK
PART#
BNCPRAJ**




**BNC TERMINATOR
50 OHM 1% W/CHAIN
PART# BNCT501C**

**BNCTERMINATOR
50 OHM 1%
PART# BNCT501C**



**BNCTERMINATOR
50 OHM 5%
PART# BNCT505C**



**BNCTERMINATOR
75 OHM 1%
PART# BNCT751C**



**BNCTERMINATOR
75 OHM 5%
PART# BNCT751C**



**BNCTERMINATOR
93 OHM 1%
PART# BNCT931C**



**BNCTERMINATOR
93 OHM 5%
PART# BNCT935C**




**BNC PLUG TO
MINI UHF JACK
PART# BNCPMUHGJ**



BANANA CONNECTORS


**BANANA PLUG
BLACK PLASTIC
HANDLE
PART# BAPPBK**



**BANANA PLUG
RED PLASTIC
HANDLE
PART# BAPPRD**

**BANANA JACK
RED
PANEL MOUNT
PART# BAJPMRD**

**BINDING POST
BLACK
PANEL MOUNT
PART# BIPPMBK**



**BANANA JACK
BLACK
PANEL MOUNT
PART# BAJPMBK**

**BINDING POST
RED
PANEL MOUNT
PART# BIPPMBK**

AUDIO RCA PHONE CONNECTORS

**RCA PLUG
BLACK MOLDED
HANDLE WITH
STRAIN RELIEF
PART#
ARCAPMBK**



**RCA PLUG
RED MOLDED
HANDLE WITH
STRAIN RELIEF
PART#
ARCAPMRD**

**RCA PLUG
METAL HANDLE
PART#
ARCAPMH**

**RCA JACK
BLACK PLASTIC
HANDLE
PART#
ARCAJPBK**



**RCA JACK
BLACK MOLDED
HANDLE WITH
STRAIN RELIEF
PART#
ARCAJMBK**

**RCA JACK
RED MOLDED
HANDLE WITH
STRAIN RELIEF
PART#
ARCAJMRD**




**RCA JACK
METAL HANDLE
PART#
ARCAJMH**

**RCA JACK
RED PLASTIC
HANDLE
PART#
ARCAJPRD**




**RCA JACK PANEL
MOUNT BLACK
WITH BLACK
INSULATOR
PART#
ARCAJPMBK**

**RCA PLUG
BLACK PLASTIC
HANDLE
PART#
ARCAPPBK**




**RCA PLUG
RED PLASTIC
HANDLE
PART#
ARCAPPRD**



AUDIO PHONE JACKS

**1/4" MONO JACK
 OPEN PANEL
 PART # AP14MJOP**



**1/4" MONO JACK
 CLOSED PANEL
 PART # AP14MJCP**




**1/4" STEREO JACK
 OPEN PANEL
 PART # AP14SJOP**



**1/4" STEREO JACK
 CLOSED PANEL
 PART # AP14SJCP**



**1/4" MONO JACK
 PLASTIC HANDLE
 PART # AP14MJP**



**1/4" MONO JACK
 METAL HANDLE
 PART # AP14MJM**




**1/4" STEREO JACK
 PLASTIC HANDLE
 PART # AP14SJP**




**1/4" STEREO JACK
 METAL HANDLE
 PART # AP14SJM**




**3.5mm MONO JACK
 OPEN PANEL
 PART # AP35MJOP**




**3.5mm STEREO JACK
 OPEN PANEL
 PART # AP35SJOP**



**3.5mm MONO JACK
 PLASTIC HANDLE
 PART # AP35MJP**




**3.5mm MONO JACK
 METAL HANDLE
 PART # AP35MJM**



**3.5mm STEREO JACK
 PLASTIC HANDLE
 PART # AP35SJP**

**3.5mm STEREO JACK
 METAL HANDLE
 PART # AP35SJM**




COAXIAL POWER PLUGS

**2.1mm COAX PLUG
 5.5mm OD
 BLACK PLASTIC HANDLE
 WITH STRAIN RELIEF
 PART#
 COAXPP21**



**2.5 mm COAX PLUG
 5.5mm OD
 BLACK PLASTIC HANDLE
 WITH STRAIN RELIEF
 PART#
 COAXPP25**



VIDEO SPLITTERS

PART

DESCRIPTION



AVSP2WA-B
AVSP2W-B
AVSP3W-B
AVSP4W-B
AVSP2WG-B
AVSP3WG-B
AVSP4WG-B

MINI 2 WAY SPLITTER 900MHz
MINI 2 WAY SPLITTER 900MHz
MINI 3 WAY SPLITTER 900MHz
MINI 4 WAY SPLITTER 900MHz
MINI 2 WAY GOLD PLATED SPLITTER 900MHz
MINI 3 WAY GOLD PLATED SPLITTER 900MHz
MINI 4 WAY GOLD PLATED SPLITTER 900MHz

UHF/VHF/FM AMPLIFIERS



AVAMP10-B
AVAMP25-B
AVAMP36-B
AVABS-B

UHF/VHF/FM AMPLIFIER 10dB 110V
UHF/VHF/FM DISTRIBUTION AMPLIFIER 25dB 110V FM TRAP
UHF/VHF/FM DISTRIBUTION AMPLIFIER 36dB 110V FM TRAP GAIN CONTROL
A/B ANTENNA CABLE SWITCH

INDOOR TRANSFORMERS



AVTRG-B
AVTRPOG-B
AVBSG-B
AVUNHC-B

GOLD PLATED INDOOR MATCHING TRANSFORMER
GOLD PLATED INDOOR PUSH-ON MATCHING TRANSFORMER
UHF/VHF/FM BAND SEPARATOR GOLD PLATED
UNIVERSAL VCR HOOK-UP CABLE WITH GOLD ENDS BUILT-IN TRANSFORMER 6FT

RF MODULATORS

PART

DESCRIPTION



AVRF1-B

AVRF2-B

AVRF3-B

RF MODULATOR FOR DVD 110V

RF MODULATOR FOR DVD AND S-VIDEO 110V

RF MODULATOR SELECTOR AUDIO/VIDEO SIGNAL CONVERTOR/ 4-WAY SWITCH 110V

AV ADAPTOR TV GAME MULTI BOX

PART

DESCRIPTION



AVATGMB3-B

AVATGMB4-B

AV ADAPTOR TV GAME MULTI BOX 3-WAY

AV ADAPTOR TV GAME MULTI BOX 4-WAY

NAIL IN MOUNTS

PART

DESCRIPTION



AVRG59NBC-P

AVRG59NWC-P

AVRG59NB25-B

AVRG59NW25-B

AVRG6NBC-P

AVRG6NWC-P

AVRG6NB25-B

AVRG6NW25-B

AVTWNW25-B

AVTWNWC-P

AVDGBCX-B

RG 59 COAXIAL NAIL IN MOUNT BLACK 100PK

RG 59 COAXIAL NAIL IN MOUNT WHITE 100PK

RG 59 COAXIAL NAIL IN MOUNT BLACK 25PK

RG 59 COAXIAL NAIL IN MOUNT WHITE 25PK

RG 6 COAXIAL NAIL IN MOUNT BLACK 100PK

RG 6 COAXIAL NAIL IN MOUNT WHITE 100PK

RG 6 COAXIAL NAIL IN MOUNT BLACK 25PK

RG 6 COAXIAL NAIL IN MOUNT WHITE 25PK

TELEPHONE WIRE NAIL IN MOUNT WHITE 25PK

TELEPHONE WIRE NAIL IN MOUNT WHITE 100PK

DUAL GROUNDING BLOCK FOR COAXIAL WIRE

GOLD X PRODUCTS

GoldX Audio Cables

GoldX high-performance audio cable provides a superior connection for your audio equipment. GoldX Products quality cable construction guarantees the highest integrity of signal transfer, resulting in a dynamic, fully defined sound for the best listening experience your equipment can deliver. Some of the features of the GoldX Audio cables include: 24K Gold plated studio grade connectors, Improved signal transfer with high grade oxygen-free copper wire, Corrosion-resistant connectors designed for maximum conductivity and low signal loss, Dual Shielding reduces interference, noise and distortion

Part Number	Description
GXAV-LR-XX	Analog Audio Cables for Left and Right Channel systems. (3', 6', 12', 25', 50')
GXAV-DC-XX	Digital Coaxial Cable for multi-channel systems (3', 6', 12', 25', 50')
GXAV-TS-XX	TosLink Optical Fiber Cable for multi-channel systems (1M, 2M, 3M)

High Tech
Digital



GoldX Video Cables

Ordinary cables just aren't able to deliver the incredible video output that is possible from the latest high-performance electronic devices. GoldX Products Video Cables by JDI allow your electronics to operate at their full potential. Helping produce the optimum in video quality, these cables are designed to connect your high-performance video equipment or TV. The video signal delivery is transferred in real time and without corruption. Take your electronic investments to peak performance levels with GoldX Video Cables. Some of the features of the GoldX Video Cables include: 24K Gold plated studio grade connectors, Improved signal transfer with high grade oxygen-free copper wire, Corrosion-resistant connectors designed for maximum conductivity and low signal loss, Dual Shielding reduces interference, noise and distortion, Balanced cable for optimum performance

Standard Video Cables

GXAV-Y-XX	Composite Video Cable (3', 6', 12', 25', 50')
GXAV-SV-XX	S-Video Cables (3', 6', 12', 25', 50')
GXAV-SVE-XX	S-Video Extension Cables (3', 6', 12', 25', 50')

HDTV Video Cables

GXAV-RGB-XX	Component Video Cable (3', 6', 12', 25', 50')
GXDV-AV-XX	DVI Analog to VGA Video Cable (6', 10')
GXDV-DD-XX	DVI Digital to DVI Digital Single Link Cable (6', 10')
GXDV-D2-XX	DVI Digital to DVI Digital Dual Link Cable (6', 10')
GXHD-DA-XX	DVI Digital Single Link to HDMI Male (6', 10')
GXHD-AA-XX	HDMI Male to HDMI Male (3', 6', 12')

High Tech
Digital



GoldX Video and Audio Cable Kits

GoldX Audio/Video kits combine a GoldX Audio Cable with a GoldX Video cable in a single package. These are the exact same cables that can be purchased individually in a convenient package.

Part Number	Description
GXAV-YLR-XX	Composite Video Cable and Analog Audio Cable (3', 6', 12', 25', 50')
GXAV-RGBLR-XX	Component Video Cable and Analog Audio Cable (3', 6', 12', 25', 50')

High Tech
Digital

